



IFW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of : **Confirmation No. 4374**  
Andre VAN DYK : Attorney Docket No. 2004\_1032A  
Serial No. 10/500,705 : Group Art Unit 3643  
Filed February 1, 2005 : Examiner John D. Holman

EXPLOSIVE PRESSURE  
WAVE CONCENTRATOR

---

**RESPONSE TO RESTRICTION REQUIREMENT**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

In response to the Restriction Requirement of February 17, 2006, Applicants hereby elect the invention of Group II, claims 55-64, without traverse, for further prosecution. In view of this election, a full examination on the merits of the present application is respectfully requested.

If there are any issues that the Examiner feels may best be resolved through a personal or telephone interview, the Examiner is kindly requested to contact the undersigned at the telephone number listed below.

Respectfully submitted,

Andre VAN DYK

THE COMMISSIONER IS AUTHORIZED  
TO CHARGE ANY DEFICIENCY IN THE  
FEES FOR THIS PAPER TO DEPOSIT  
ACCOUNT NO. 23-0975

By: Kenneth W. Fields  
Kenneth W. Fields  
Registration No. 52,430  
Attorney for Applicant

KWF/dib  
Washington, D.C. 20006-1021  
Telephone (202) 721-8200  
Facsimile (202) 721-8250  
March 15, 2006